

# Petroleum Geoscience

The journal is abstracted and/or indexed in *Current Contents*, *Science Citation Index*, *GeoArchive*, *GeoRef*, *Geobase*, *Petroleum Abstracts*, *Geological Abstracts*, *Mineralogical Abstracts* and *Cambridge Scientific Abstracts*

*Editor-in-Chief:* **A G Doré**, StatoilHydro, USA, (email: AGDO@statoilhydro.com)

*Co-Editors:* **P A F Christie**, Schlumberger Cambridge Research, UK (email: pafc1@slb.com), **A J Fraser**, BP Exploration, Sunbury, UK (email: alastair.fraser@uk.bp.com) and **P F Worthington**, Gaffney, Cline and Associates, Singapore (email: pworthington@gaffney-cline.com)

*Production Editor:* **S Oberst**, Geological Society Publishing House, Bath (email: sally.oberst@geolsoc.org.uk)

To advertise in Petroleum Geoscience contact:

Nick Gaulton

Tel: +44 (0)117 904 1283

Fax: +44 (0)117 904 0085

E-mail: sales@dpmedia.co.uk

DP Media, Suite 201, QC 30, 30 Queen Charlotte Street, Bristol BS1 4HJ

## CONTENTS – Volume 15, No 2

### Thematic set: Petroleum systems & tectonics in SE Asia and Australasia

**Guest editors:** Ian Cloke, Graham Goffey & Adam Law

### Geology and hydrocarbon potential of the offshore Indus Basin, Pakistan

by S M Carmichael, S Akhter, J K Bennett, M A Fatimi, K Hosein, R W Jones, M B Longacre, M J Osborne & R S J Tozer **107**

### The geology of the Barmer Basin, Rajasthan, India and the origins of its major oil reservoir the Fatehgarh Formation

by P M Compton **117**

### Hydrocarbon basins in SE Asia: understanding why they are there

by R Hall **131**

### The North Makassar Straits: what lies beneath?

by R Hall, I R Cloke, S Nur'aini, S D Puspita, S J Calvert & C F Elders **147**

### Thrusting of a volcanic arc: a new structural model for Java

by B Clements, R Hall, H R Smyth & M A Cottam **159**

### Three-dimensional modelling and interpretation of CSEM data from offshore Angola

by A H Bhuiyan **175**

*Petroleum Geoscience* (ISSN 1354-0793) is published in February, May, August and November by the Geological Society Publishing House for the Geological Society, London and the European Association of Geoscientists and Engineers – Petroleum Division.

**Subscriptions** (volume 15, 2009): The subscription rate is £305 (UK), £305/\$US610 (Europe & USA) and £350/\$US700 (rest of world) per volume, including postage and air-speeded delivery. Single issue price is £84 (UK), £84/\$US168.00 (Europe & USA) and £97/\$US195 (rest of world).

Trade subscriptions should be addressed to Journals Subscription Dept, Geological Society Publishing House, Unit 7, Brassmill Enterprise Centre, Bath BA1 3JN, UK (tel. +44(0) 1225 445046; fax +44 (0)1225 442836).

Periodical postage paid at Middlesex, N.J. *Postmaster:* send address changes to *Petroleum Geoscience*, The Geological Society, c/o Pronto Mailers, PO Box 177, Middlesex, NJ 08846.

© 2009 The Geological Society of London and EAGE. Except as otherwise permitted under the Copyright, Designs and Patents Acts, 1988, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the Publishers or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency, 90 Tottenham Court Road, London W1P 9HE, UK. Enquiries concerning reproduction outside these terms should be sent to the Publishers at the Bath address. Users registered with the Copyright Clearance Center, 27 Congress Street, Salem, MA 01970, USA: the item-fee code for this journal is 1354- 0793/09 \$15.00.

The Geological Society and EAGE make no representation, express or implied, with regard to the accuracy of the information contained in this publication and cannot accept any legal responsibility for any errors or omissions that may be made.

*Cover illustration:* Deltaic Sundaland-derived quartz-rich sandstones from the Eocene sedimentary rocks of the Bayah Formation. These are among the oldest sedimentary rocks in SW Java (Indonesia) and represent some of the earliest deposits in the Sundaland basins that began to form after about 45 Ma. Many of the Eocene and younger quartzose sequences contain coals, which may be potential sources of hydrocarbons. (Photo by Robert Hall)